

其它配件



ED FRAME


半圓頭內六角螺絲

EBS□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

EBS□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	S	D	H
EBSW0408(S)	M4	8	2.5	7.6	2.2
EBSW0410(S)		10			
EBSW0412(S)		12			
EBSW0610(S)	M6	10	4	10.5	3.3
EBSW0612(S)		12			
EBSW0616(S)		16			
EBSW0620(S)		20			
EBSW0625(S)		25			
EBSW0812(S)	M8	12	5	14	4.4
EBSW0816(S)		16			
EBSW0820(S)		20			
EBSW0825(S)		25			
EBSW0830(S)		30			


半圓頭內六角螺絲 (有華司)

EBSW□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

EBSW□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	S	D	H
EBS0408(S)	M4	8	2.5	7.6	2.2
EBS0410(S)		10			
EBS0412(S)		12			
EBS0610(S)	M6	10	4	10.5	3.3
EBS0612(S)		12			
EBS0616(S)		16			
EBS0620(S)		20			
EBS0625(S)		25			
EBS0812(S)	M8	12	5	14	4.4
EBS0816(S)		16			
EBS0820(S)		20			
EBS0825(S)		25			
EBS0830(S)		30			



ED FRAME


內六角螺絲

ECS□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

ECS□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	S	D	H
ECS0306(S)	M3	6	2.5	5.5	3
ECS0308(S)		8			
ECS0408(S)	M4	8	3	7	4
ECS0410(S)		10			
ECS0412(S)		12			
ECS0415(S)		15			
ECS0420(S)		20			
ECS0610(S)	M6	10	5	10	6
ECS0612(S)		12			
ECS0616(S)		16			
ECS0620(S)		20			
ECS0625(S)		25			
ECS0630(S)	M8	30	6	13	8
ECS0812(S)		12			
ECS0816(S)		16			
ECS0820(S)		20			
ECS0825(S)		25			
ECS0830(S)		30			
ECS0840(S)	40				


內六角螺絲 (有華司)

ECSW□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

ECSW□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	S	D	H
ECSW0408(S)	M4	8	2.5	7.6	2.2
ECSW0410(S)		10			
ECSW0412(S)		12			
ECSW0610(S)	M6	10	4	10.5	3.3
ECSW0612(S)		12			
ECSW0616(S)		16			
ECSW0620(S)		20			
ECSW0625(S)		25			
ECSW0812(S)	M8	12	5	14	4.4
ECSW0816(S)		16			
ECSW0820(S)		20			
ECSW0825(S)		25			
ECSW0830(S)		30			
ECSW0830(S)		30			



ED FRAME


皿頭內六角螺絲

EDS□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

EDS□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	S	D	H
EDS0408(S)	M4	8	2.5	8.96	2.48
EDS0410(S)		10			
EDS0412(S)		12			
EDS0508(S)	M5	8	3	11.2	3.1
EDS0510(S)		10			
EDS0512(S)		12			
EDS0610(S)	M6	10	4	13.44	3.72
EDS0612(S)		12			
EDS0615(S)		15			
EDS0620(S)		20			
EDS0812(S)	M8	12	5	17.92	4.96
EDS0815(S)		15			
EDS0820(S)		20			


皿頭十字螺絲

EES□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

EES□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	D	H
EES0306(S)	M3	6	6	1.75
EES0308(S)		8		
EES0408(S)	M4	8	8	2.3
EES0410(S)		10		
EES0412(S)		12		
EES0508(S)	M5	8	10	2.8
EES0510(S)		10		
EES0512(S)		12		



ED FRAME


大扁頭十字螺絲

EFS□□□□ (鐵鍍鎳)

材 質 : 鐵
表面處理 : 鍍鎳

EFS□□□□S (不銹鋼)

材 質 : 不銹鋼
表面處理 : -



型 號	M	L	D	H
EFS0408(S)	M4	8	9.4	2.5
EFS0410(S)		10		
EFS0412(S)		12		
EFS0415(S)		15		
EFS0508(S)	M5	8	11.8	3.1
EFS0510(S)		10		
EFS0512(S)		12		
EFS0515(S)		15		
EFS0520(S)		20		
EFS0610(S)	M6	10	14	3.7
EFS0612(S)		12		
EFS0615(S)		15		
EFS0620(S)		20		

平華司/彈簧華司

平華司


EGS□□ (鐵鍍鎳)

EGS□□S (不銹鋼)

彈簧華司

EHS□□ (鐵鍍鎳)

EHS□□S (不銹鋼)



型 號	M	D	T
EGS03(S)	M3	7	0.5
EGS04(S)	M4	9	0.8
EGS05(S)	M5	10	1
EGS06(S)	M6	12	1.6
EGS08(S)	M8	16	1.6

型 號	M	D	T
EHS03(S)	M3	5.9	0.7
EHS04(S)	M4	7.6	1
EHS05(S)	M5	9.2	1.3
EHS06(S)	M6	12.2	1.5
EHS08(S)	M8	15.4	2

材 質 : 鐵
表面處理 : 鍍鎳

材 質 : 不銹鋼
表面處理 : -



ED FRAME

無塵過濾網箱 (標準型)



型號

EFUNA - 0202 - ST - H - 1



規格

	標準型 (EFUNA) / 標準型風量可變式 (EFUNB)					
型式	EFUN*-0202		EFUN*-0203		EFUN*-0204	
外形尺寸 (mm)	W610 × D610 × H310		W610 × D915 × H310		W610 × D1220 × H310	
構造	鋼板烤漆(珍珠白) 或 SUS430(亮面板)					
額定電壓 / 頻率	AC200V (1φ) 50/60Hz					
消耗電力 (VA)	353/329					
主過濾器	HEPA	ULPA	HEPA	ULPA	HEPA	ULPA
風量 (m ³ /min)	15.7/20.0	14.5/18.5	18.9/24	17.7/22.5	20.8/26.5	20.0/25.5
過濾器尺寸 (mm)	W610 × D610 × H65		W610 × D915 × H65		W610 × D1220 × H65	
集塵效率	HEPA : 99.97%以上(0.3 μm) , ULPA : 99.999%以上(0.12 μm)					
其他規格	可安裝過載保護開關 (筐體上面附端子箱)					




ED FRAME

無塵過濾網箱 (薄型)



型號

EFUTA - 0202 - ST - H - 1



規格

	薄型 (EFUTA) / 薄型風量可變式 (EFUTB)					
型 式	EFUT*-0202		EFUT*-0203		EFUT*-0204	
外形尺寸 (mm)	W610 x D610 x H200		W610 x D915 x H200		W610 x D1220 x H200	
構 造	鋼板烤漆(珍珠白) 或 SUS430(亮面板)					
額定電壓 / 頻率	AC200V (1φ) 50/60Hz					
消耗電力 (VA)	179/167					
主 過 濾 器	HEPA	ULPA	HEPA	ULPA	HEPA	ULPA
風 量 (m ³ /min)	9.0/11.5	8.3/10.5	10.2/13.0	9.4/12.0	11.0/14.0	10.6/13.5
過濾器尺寸 (mm)	W610 x D610 x H65		W610 x D915 x H65		W610 x D1220 x H65	
集 塵 効 率	HEPA : 99.97%以上(0.3 μm) , ULPA : 99.999%以上(0.12 μm)					
其 他 規 格	可安裝過載保護開關 (筐體上面附端子箱)					



ED FRAME



PVC板/PC板/壓克力板(抗靜電)

		尺 寸 : 1,220 x 2,440 (可訂製) 厚 度 : t3.0, t5.0 (可訂製) 抗靜電值 : $10^6 \sim 10^8 \Omega / \square$ (抗靜電型)
透 明 (一般/抗靜電型)	乳 白 (一般/抗靜電型)	

有多種樣式及顏色可供選擇或訂製 (可配合指定規格訂製)

詳細請詢問

鋁複合板

	鋁材	尺 寸 : 1,220 x 2,440 (可訂製) 板 厚 : t2.0, t3.0 (可訂製) 優 點 : 質輕、易搬運、易加工					
	低密度聚乙烯蕊材						
	鋁材						
	閃銀		高光乳白		金屬銀		正黑
	正白		乳白		淺灰		淺藍

有多種樣式及顏色可供選擇或訂製

詳細請詢問

